



A person who knowingly or willfully makes public or discloses to any unauthorized person any confidential information contained in the central abuse hotline is subject to the penalty provisions of s. 39.205.

INTAKE REPORT

Intake Name Davis, Melissa	Intake Number 2022-014002-01	County Pasco	Secondary County
Date and Time Intake Received 01/15/2022 8:27 PM	Program Type Child Intake - Initial	Investigative Sub-Type In-Home	Provider Name N/A
Background Checks Required <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reason Other	Call Record Number	3 Hits Reviewed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A
Worker Safety Concerns <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Prior Involvement <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Law Enforcement Notified <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Send Florida Administrative Message to Law Enforcement <input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A			
Response Time 24 Hours	Name – Worker Graham, Kristen	Name – Supervisor PERINON, MILTON	

I. Family Information

Name – Family Davis, Melissa	Telephone Number – Home (727)945-3371			
Address – Street 6715 Hone ST	Unit Designator	City New Port Richey	State FL	Zip Code 346533531
Primary Language:	Interpreter Needed: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Directions to House Current location: home-6715 HONE ST NEW PORT RICHEY FL 34653-3531 (Pasco County)				

A. Participants

Name	ID Number	Role	Gender	DOB
GALLI, NICHOLAS RYAN		V	Male	05/13/2017
Est. Age 5	Ethnicity Unable To Determine	Race White	Disability <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Hearing Impaired: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		24 Access <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Device Needed: Unknown, Unknown				
Est. Age 30	Ethnicity	Race	Disability <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Hearing Impaired: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		24 Access <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Device Needed:				
Davis, Melissa		HM-IN-PC	Female	05/25/1991
Est. Age 31	Ethnicity Unable To Determine	Race White	Disability <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Hearing Impaired: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		24 Access <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Device Needed:				

AP = Alleged Perpetrator
CH = Child In Home
HM = Household Member
NM = Non-Household Member

PC = Parent/Caregiver
IN = Intake Name
SO = Significant Other
V = Victim

JS = Alleged Juvenile Sexual Offender
IC = Identified Child
RN = Referral Name / SC Referral Name

B. Address and Phone Information

Name	Type	Address	Telephone Number
GALLI, NICHOLAS RYAN	Primary Residence	6715 Hone ST New Port Richey, FL 346533531	(727)945-3371



A person who knowingly or willfully makes public or discloses to any unauthorized person any confidential information contained in the central abuse hotline is subject to the penalty provisions of s. 39.205.

Davis, Melissa	Primary Residence	6715 Hone ST New Port Richey, FL 346533531	(727)945-3371
----------------	-------------------	--	---------------

C. Relationships

Subject	Relationship	Subject
Davis, Melissa	Mother	GALLI, NICHOLAS RYAN
Unknown, Unknown	Unknown	GALLI, NICHOLAS RYAN

D. Alleged Maltreatment

Alleged Victim	Maltreatment Code
GALLI, NICHOLAS RYAN	Inadequate Supervision

E. Location of Incident

E. Location of Incident					
Address – Street		Apt.	City	State	Zip Code
Telephone Number – Home	Telephone Number – Work		Telephone Number - Cell		

II. Narratives

A. Allegation Narrative

There is a concern that Nicholas may be in immediate danger. He has not been seen or heard from at all in almost two weeks. He allegedly fell and got injured, but it is believed that the fall was not an accident and that something may have happened to him.

A. Provider Detail

B. Narrative for Worker Safety Concerns

III. Agency Response

A. Recommendation

System Screening Recommendation	Counselor Screening Recommendation	Counselor Screening Reason
	Pending	



A person who knowingly or willfully makes public or discloses to any unauthorized person any confidential information contained in the central abuse hotline is subject to the penalty provisions of s. 39.205.

Counselor Name	Counselor Screening Date/Time	

Reason for Override:

System Response Priority Recommendation	Counselor Response Priority Recommendation	Date/Time Decision Made

Reason for Override:

B. Decision

Decision

Screen Out

Worker:

Explain:

Date/Time Decision Made

01/15/2022 8:59 PM

Graham, Kristen

Reason

Does Not Rise to the level of Reasonable Cause to Suspect

It is unknown what type of injury the child may have sustained to say that it was not related to a fall. There is not enough information to support the maltreatment.

IV. CI Unit Documentation

First Call Attempted Date/Time	Completed Call Date/Time

Call Log

Called Out By	Called To

This call was screened out, no case worker ever came out for this. Please see the hospital papers.



Patient: GALLI,NICHOLAS R
Account No: E00934693563
Unit No: E000800776
Location: TRINITY EMERGENCY DE...
Physician: Barr,James DO
Date:

Patient Visit Information

You were seen today for:

Concussion
Blunt head injury

Staff

Your caregivers today were:

Physician: Barr,James DO
Practitioner: Jones,Paul E.
Nurse: AJ

Patient Instructions Reviewed

Concussions: What You Need to Know
Concussion (Child)
Head Injury (Child)

received 01/09/22 - 1445

Medication Dose and Instructions

Ondansetron ODT (Zofran ODT) 4 MG TAB.RAPDIS
2 MG ORAL EVERY 6 HOURS AS NEEDED As Needed for NAUSEA AND VOMITING #2 TAB REF 0
01/09/22 2:44pm Status: PRINTED

Follow-up

Please contact the following to make an appointment for follow-up care:

No Primary or Family Physician
Follow-up Plan: call for appointment

Gomez-Luengas,Alexander H MD
10710 State Road 54
Suite 108
Trinity, FL 34655
Phone: (727)376-4040 Fax: (727)376-8824
Follow-up Plan: tomorrow

Note: Your health care plan may require a referral from your primary care provider prior to making an appointment.



Patient: GALLI, NICHOLAS R
 Account No: E00934693563
 Unit No: E000800776
 Location: TRINITY EMERGENCY DE...
 Physician: Barr, James DO
 Date:

Head Injury (Child)

Your child has a head injury. It doesn't appear serious at this time. But symptoms of a more serious problem, such as mild brain injury (concussion), or bruising or bleeding in the brain, may appear later. For this reason, you will need to closely watch your child for any of the symptoms listed below. Once at home, also be sure to follow any care instructions you're given for your child.

Home care

Watch for the following symptoms

For the next 24 hours (or longer, if directed), you or another adult must stay with your child. **Seek emergency medical care** if your child has any of these symptoms over the next hours to days:

- Headache
- Nausea or vomiting
- Dizziness
- Sensitivity to light or noise
- Unusual sleepiness or grogginess
- Trouble falling asleep
- Personality changes
- Vision changes
- Memory loss
- Confusion
- Trouble walking or clumsiness
- Loss of consciousness (even for a short time)
- Inability to be awakened
- Stiff neck
- Weakness or numbness in any part of the body
- Seizures

For young children, also watch for crying that can't be soothed, refusal to feed, or any signs of changes to the head such as bruising, bulging, or a soft or pushed-in spot.

General care

- If your child was prescribed medicines for pain, be sure to give them to your child as directed. Note: Don't give your child other pain medicines without checking with the provider first.
- To help reduce swelling and pain, apply a cold source to the injured area for up to 20 minutes at a time. Do this as often as directed. Use a cold pack or bag of ice wrapped in a thin towel. Never apply a cold source directly to the skin.
- If your child has cuts or scrapes on the face or scalp, care for them as directed.
- For the next 24 hours (or longer, if advised), your child should follow these guidelines:
 - Don't lift or do other strenuous activities.
 - Don't play sports or any other activities that could result in another head injury.
 - Limit TV, smartphones, video games, computers, and music or avoid them



Patient: GALLI, NICHOLAS R
Account No: E00934693563
Unit No: E000800776
Location: TRINITY EMERGENCY DE...
Physician: Barr, James DO
Date:

completely. These activities may make symptoms worse.

Follow-up care

Follow up with your child's healthcare provider, or as directed. If imaging tests were done, they will be reviewed by a doctor. You will be told the results and any new findings that may affect your child's care.

When to seek medical advice

Call the provider right away if your child has any of the following:

- Pain that doesn't get better or worsens
- New or increased swelling or bruising
- Increased redness, warmth, drainage, or bleeding from the injured area
- Fluid drainage or bleeding from the nose or ears
- Sick appearance or behaviors that worry you
- Lethargy or excessive sleepiness
- Bruising around the eyes or behind the ears
- Double vision
- Repeated episodes of vomiting
- Trouble walking or talking

StayWell last reviewed this educational content on 11/1/2020

© 2000-2021 The StayWell Company, LLC. All rights reserved. This information is not intended as a substitute for professional medical care. Always follow your healthcare professional's instructions.



Patient: GALLI, NICHOLAS R
 Account No: E00934693563
 Unit No: E000800776
 Location: TRINITY EMERGENCY DE...
 Physician: Barr, James DO
 Date:

Concussion (Child)

A concussion is a type of brain injury. It can be caused by a direct hit or blow to the head, neck, face, or body. The force of the blow makes the head and brain shake quickly back and forth. This can cause headache, nausea, vomiting, or dizziness. A child's behavior, walk, or speech can change. Your child may also lose consciousness for a time. Your child may have a blank stare. He or she may seem confused or have trouble remembering things. For example, your child may ask the same questions over and over. Your child might stumble when walking, easily laugh or cry, or he or she may have trouble sleeping. If the symptoms are severe, your child should be evaluated in the emergency room. This could mean a more severe brain injury is possible.

It can take from a few hours up to a few days to get better. The length of time depends on how hard the blow to the head was. In some cases, symptoms last a few months or longer. This is called post-concussion syndrome.

Symptoms should get better as the hours and days go by. Symptoms that get worse could be a sign of a more serious brain injury. This might be a bruise or bleeding in the brain. Watch for the warning signs listed below. Your child's healthcare provider will tell you about any other care needed.

Home care

If your child's injury is mild and there are no serious signs or symptoms, you can watch him or her at home. If the injury is more serious, take your child to his or her healthcare provider or the emergency department. Follow these guidelines when caring for your child at home:

- You will likely not have to wake your child from sleep after a minor head injury. But, if your child's healthcare provider does recommend this, your child should be able to know where they are when awakened. Ask your child's healthcare provider if you need to wake your child during the night. If so, ask how often. If not, then let your child rest as needed.
- Carefully watch your child for any of the symptoms listed below. If you notice any of them, call 911 right away or seek medical care right away.
- Ask your child's healthcare provider when it will be safe to let your child return to normal play if he or she has no symptoms.
- Don't let your child return right away to sports or any activity that could result in another head injury. Wait until all symptoms are gone and your child's healthcare provider says it's OK. A second head injury before fully getting over the first one can lead to serious brain injury. Ask your child's healthcare provider if you have questions about when your child can return to playing sports.
- Don't give your child aspirin or ibuprofen after a head injury. You may give your child acetaminophen to control pain, unless another pain medicine was prescribed. If your child has long-term (chronic) liver or kidney disease, or ever had a stomach ulcer or gastrointestinal bleeding, talk with your healthcare provider before using these medicines.
- If your child's face or scalp is swollen, apply an ice pack. Do this for 20 minutes every 2 to 3 hours until the swelling starts to go down. To make an ice pack, put ice cubes in a plastic bag that seals at the top. Wrap the bag in a clean, thin towel or cloth. Never put ice or an ice pack directly on the skin.
- School and other activities that require concentration can be more difficult after a



Patient: GALLI, NICHOLAS R
 Account No: E00934693563
 Unit No: E000800776
 Location: TRINITY EMERGENCY DE...
 Physician: Barr, James DO
 Date:

concussion. They may also delay recovery. Ask your child's healthcare provider if it is safe to return to school or do other things that require a lot of focus.

- Getting back to normal life activities within 7 days of the concussion may lead to a better recovery. This includes getting back to physical activity. But talk with your provider about what is best for your child.

Follow-up care

Follow up with your child's healthcare provider, or as advised.

Special note to parents

Healthcare providers are trained to see injuries such as this in young children as a sign of possible abuse. You may be asked questions about how your child was injured. Healthcare providers are required by law to ask you these questions. This is done to protect your child. Please try to be patient.

When to seek medical advice

Call your child's healthcare provider right away if any of these occur:

- Fever (see Fever and children, below)
- Neck pain or stiffness
- Headache that won't go away
- Dizziness that won't go away

Call 911

Call 911 or get medical care immediately if any of these occur:

- Swelling or bruising on head that gets worse
- Bulging soft spot on top of baby's head
- Pain doesn't get better or gets worse. Babies may show pain as crying or fussing that can't be soothed.
- Eyes that look black from very large pupils
- One pupil is larger or smaller than the other
- Blank stare
- Clear or bloody fluid coming from ear or nose
- Worsening headache
- Clumsiness or shaking
- Confusion
- Abnormal behavior
- Worsening dizziness
- Sleepiness or trouble waking from sleep
- Trouble speaking
- Trouble walking or using arms or legs
- Seizures
- Repeated vomiting (It's common to vomit once after a head injury. But, if this happens more than that, get medical care right away.)



Patient: GALLI, NICHOLAS R
Account No: E00934693563
Unit No: E000800776
Location: TRINITY EMERGENCY DE...
Physician: Barr, James DO
Date:

Fever and children

Always use a digital thermometer to check your child's temperature. Never use a mercury thermometer.

For infants and toddlers, be sure to use a rectal thermometer correctly. A rectal thermometer may accidentally poke a hole in (perforate) the rectum. It may also pass on germs from the stool. Always follow the product maker's directions for proper use. If you don't feel comfortable taking a rectal temperature, use another method. When you talk to your child's healthcare provider, tell him or her which method you used to take your child's temperature.

Here are guidelines for fever temperature. Ear temperatures aren't accurate before 6 months of age. Don't take an oral temperature until your child is at least 4 years old.

Infant under 3 months old:

- Ask your child's healthcare provider how you should take the temperature.
- Rectal or forehead (temporal artery) temperature of 100.4°F (38°C) or higher, or as directed by the provider
- Armpit temperature of 99°F (37.2°C) or higher, or as directed by the provider

Child age 3 to 36 months:

- Rectal, forehead (temporal artery), or ear temperature of 102°F (38.9°C) or higher, or as directed by the provider
- Armpit temperature of 101°F (38.3°C) or higher, or as directed by the provider

Child of any age:

- Repeated temperature of 104°F (40°C) or higher, or as directed by the provider
- Fever that lasts more than 24 hours in a child under 2 years old. Or a fever that lasts for 3 days in a child 2 years or older.

StayWell last reviewed this educational content on 6/1/2018

© 2000-2021 The StayWell Company, LLC. All rights reserved. This information is not intended as a substitute for professional medical care. Always follow your healthcare professional's instructions.



Patient: GALLI, NICHOLAS R
Account No: E00934693563
Unit No: E000800776
Location: TRINITY EMERGENCY DE...
Physician: Barr, James DO
Date:

What I Know Video Sheets

Concussions: What You Need to Know

A concussion can put your life on pause. It's a deep, significant bruise to the brain that can cause it to lose function. Dr. Joseph Congeni gives pointers on how to recognize if your child has suffered from one, and what to do about it.

To watch the video:

Scan the QR code

Using your mobile device, scan the following code:



OR

Go to the website:

www.kramesvideo.com

Enter the prescription code:

J6X

© 2000-2021 The StayWell Company, LLC. All rights reserved. This information is not intended as a substitute for professional medical care. Always follow your healthcare professional's instructions.



Patient: GALLI, NICHOLAS R
 Account No: E00934693563
 Unit No: E000800776
 Location: TRINITY EMERGENCY DE...
 Physician: Barr, James DO
 Date:

Trinity Hospital (727) 834-4748

General Emergency Room Discharge Instructions

The treatment and evaluation you received have been provided on an emergency basis only and is not intended to be a substitute for, or an effort to provide complete medical care. It is important that you follow up with your primary care provider for ongoing monitoring and intervention. If your symptoms become worse or you do not improve as expected and you are unable to reach your usual health care provider, you should return to the Emergency Department. We are available 24 hours a day.

If you have been referred to a specialist, you may be contacted by ER Follow-Up Services within 24 hours to schedule your appointment. If you would like to schedule an appointment and have not received a call, please contact them at (727) 484-1410.

What To Do:

- * Take this sheet with you when you go to your follow-up visit.
- * Take all medications as directed.
- * There are occasions where additional lab tests return, such as a culture result, an X-ray or EKG is further reviewed after you are discharged. If a change in your diagnosis or treatment is indicated, we will attempt to contact you. It is critical that we have a current phone number for you.
- * If you had X-rays done, we can provide you a CD with those X-rays for your review and follow-up. Contact Radiology Department at (727) 834-4708 for additional information.
- * Culture results may take 2-3 days. We review many culture results and will attempt to contact you if the results are significant or may change your treatment.
- * You may have been given sedation and/or narcotic medications during your stay that can cause drowsiness, poor balance and poor judgement. Follow these instructions:

Do not make any legally binding, important, or difficult decisions in the next 24 hours.

Do not drive or operate heavy machinery for the next 24 hours. You will need a driver to take you home and be with you for the remainder of the day.

You should avoid dangerous activities, including bicycling, swimming or working at heights for the remainder of the day.

You should not take any alcohol, sleeping pills or medicines that causes drowsiness for at least 24 hours.

If you are a child, have an adult watch you closely for the next 12 hours.

You may temporarily feel sick, weak or dizzy. Some people will vomit if they eat too soon. As soon as you feel like you can drink without vomiting, you should try



Patient: GALLI, NICHOLAS R
 Account No: E00934693563
 Unit No: E000800776
 Location: TRINITY EMERGENCY DE...
 Physician: Barr, James DO
 Date:

water, juice or soup. You can progress to solid foods if the fluids do not cause nausea and you are feeling well.

* If you wish to receive a paper copy of your records, complete the authorization to release form located on the facility website under the Patients & Visitors section of the website. You can fax the completed form to 855-446-6008 or send via email to HSCT.MRRequest@parallon.com. For status of medical record requests, call 866-463-7272.

* Thank you for visiting our hospital. Do not forget, through MyHealthOne you can visit your health information and details from your stay. MyHealthOne consolidates many common tasks into one secure, easy-to-use online portal. You can use the portal on your desktop computer, laptop, tablet or smartphone 24 hours a day to access these features and more:

- Manage the health of a loved one
- Classes and events
- Bill pay
- Lab results
- Pre-registration
- Health information and visits
- Find a doctor
- Make an appointment

* Create a MyHealthOne account:

1. For access to your medical record online, enter www.medicalcentertrinity.com/MyHealthOne and sign up for access to our electronic patient portal.
2. Pick a username, password and enter your email address.
3. Have your social security number (SSN) available if you would like to link your health records today.
4. If you need help or have questions about MyHealthOne, call (855)422-6625
5. Please allow 48 hours for your records to be available on line.

CAUTION:

If you develop any signs of a severe allergic reaction such as difficulty breathing, wheezing, swelling of the lips and mouth, call 911 IMMEDIATELY

Preventative Health Instructions:

The care you received in the emergency department has been done on an emergency basis only and is not intended to be a substitute for regular medical care. If your condition or symptoms persist or get worse at any time, you should return to the emergency department if you are unable to contact your own physician. Please understand that although we may not have determined a specific cause of your symptoms today, further evaluation may be necessary. It is important to get a primary care provider (doctor, PA, or nurse practitioner) for follow up as well as ongoing healthcare needs.



Pediatric Associates
1-855-KIDZ-DOC
www.pediatricassociates.com

Date: 01/25/2022

RE: NICHOLAS GALLI

Date of birth: 05/13/2017

To Whom It May Concern:

Please excuse NICHOLAS for being absent from school on the following dates: 1/10/2022-1/25/2022
This absence was due to medical issues.

Please let us know if you have any questions or need any additional information.

Sincerely,

Hartert,Alexis

Alexis Hartert, APRN

1/25/2022 8:43 AM (EST)

**WE'RE HERE
WHEN YOU NEED US**
LOVE & CARE, 365 DAYS A YEAR



Pediatric Associates
1-855-KIDZ-DOC
www.pediatricassociates.com

Date: 01/25/2022

RE: NICHOLAS GALLI
Date of birth: 05/13/2017

To Whom It May Concern:

According to the criteria currently used by the American Academy of Pediatrics, NICHOLAS's condition does not warrant his or her exclusion from attendance at school or daycare. He is cleared to participate in all activities as he tolerates them. Complaints of headache or dizziness warrants further evaluation, please contact the parents if these symptoms appear.

Please let us know if you have any questions or need any additional information.

Sincerely,

Hartert, Alexis

Alexis Hartert, APRN

1/25/2022 8:45 AM (EST)

**WE'RE HERE
WHEN YOU NEED US**
LOVE & CARE, 365 DAYS A YEAR